

Web Images Maps News Shopping Gmail more ▾

Sign in

Google

TCP delegated connection user buffer

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 121,000 for TCP delegated connection user buffer. (0.28 seconds)

(WO/2004/110025) PROCESSING DATA FOR A TCP CONNECTION USING AN ...

Processing a delegated connection by TCP Stack 215 is referred to as "legacy TCP Stack 215 can post one or more user buffer descriptors via Driver 255 ...

www.wipo.int/pctdb/en/wo.jsp?WO=2004%2F110025&IA=WO2004%2F110025&DISPLAY=DESC - 171k - [Cached](#) - [Similar pages](#)

(WO/2004/110025) PROCESSING DATA FOR A TCP CONNECTION USING AN ...

A method of processing frames for delegated and non-delegated TCP connections, comprising: processing delegated TCP connections using an offload unit, ...

www.wipo.int/pctdb/en/wo.jsp?WO=2004%2F110025&IA=WO2004%2F110025&DISPLAY=CLAIMS - 13k - [Cached](#) - [Similar pages](#)

Jean-Francois Arcand's Blog: Writing a TCP/UDP stack supporting ...

The way Grizzly works is when a connection is made to one of its ... TCP) { // TCP case
OutputWriter.flushChannel(channel, buffer); } else if (ctx. ...

weblogs.java.net/blog/jfarand/archive/2006/02/writing_a_tcpud_1.html - 33k - [Cached](#) - [Similar pages](#)

Bug ID: 4397070 Socket.setSendBufferSize and setReceiveBufferSize ...

setSendBufferSize and setReceiveBufferSize do not properly delegate to OS,State: ... Before RFC1323, TCP was restricted to a 64K buffer size and a higher ...

bugs.sun.com/bugdatabase/view_bug.do?bug_id=4397070 - 34k - [Cached](#) - [Similar pages](#)

pyGlobus.io.GSiTCPSocket

Asynchronously close the file or connection. register_read (self, buffer, maxBytes, waitForBytes, callback, arg) Asynchronous TCP or file read. ...

dsd.lbl.gov/gtg/projects/pyGlobus/doc/public/pyGlobus.io.GSiTCPSocket-class.html - 37k - [Cached](#) - [Similar pages](#)

Jon Cole's WebLog : Simple Message Framing Sample for TCP Socket ...

re: Simple Message Framing Sample for TCP Socket - Part 2 (Asynchronous). When the first BeginReceive is started, the buffer passed in is only 4 bytes in ...

blogs.msdn.com/.../archive/2006/04/25/simple-message-framing-sample-for-tcp-socket-part-2-asynchronous.aspx - 67k - [Cached](#) - [Similar pages](#)

[doc] Scalable Networking: Network Protocol Offload—Introducing TCP Chimney

File Format: Microsoft Word - [View as HTML](#)

When a connection offload is to be terminated, only the DELEGATED parameters are Data that was in the TCP reassembly buffer when the offload occurred. ...

download.microsoft.com/download/5/b/5b5bec17-aa71-4653-9539-204a672f11cf/TCP_Chimney.doc - [Similar pages](#)

[VB.NET] Asynchronous Multi-Client TCP Server [solved] - GameDev ...

Jul 19, 2007 ... Tcp) ' Bind the socket to the local endpoint and listen for incoming connections. listener.Bind(localEndPoint) listener. ...

www.gamedev.net/community/forums/topic.asp?topic_id=455949 - 48k - [Cached](#) - [Similar pages](#)

[PPT] A Prediction Service For Remos and QuO

File Format: Microsoft Powerpoint - [View as HTML](#)

Delegate. Abstract Model of QuO. ORB and. Other. Magic. Server. Delegate Buffer stdin stream, stream to stdout, accept tcp requests for buffer contents ...
www.cs.northwestern.edu/~pdinda/Talks/thesis-3-99.ppt - [Similar pages](#)

Articles [delegate-en/501-600](#) (99Jun16)

0560 "Julien Godard" <pgababdyi-gx63pyfpk2fw.ml@delegate.org> [30]: By splitting I mean to cut one TCP connection into 2 TCP connections (on 2 different ...
www.delegate.org/mail-lists/delegate-en/501-600?fmt=print - 55k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)